

Issue Date: 18-Jan-2018

Revision Date: 19-Jan-2018

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Ice on Ice Ultra Dematting Spray

Other means of identification

SDS # CC-036

UN/ID No UN1950

Recommended use of the chemical and restrictions on use

Recommended Use Conditioner.

Details of the supplier of the safety data sheet

Supplier Address

Chris Christensen Systems Inc.
PO Box 961
Fairfield, TX 75840

Emergency Telephone Number

Company Phone Number 903-389-7949
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid

Physical state Liquid

Odor Fragranced

Classification

Gases Under Pressure

Compressed Gas

Signal Word

Warning

Hazard statements

Contains gas under pressure; may explode if heated



Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% |
|---------------|---------|----------|
| Ethyl Alcohol | 64-17-5 | <10 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First Aid Measures

| | |
|-----------------------|---|
| General Advice | Provide this SDS to medical personnel for treatment. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. |
| Inhalation | Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention. |

Most important symptoms and effects

| | |
|-----------------|--|
| Symptoms | May cause eye irritation, drowsiness, and dizziness. |
|-----------------|--|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Alcohol resistant foam. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Thermal decomposition can lead to release of irritating gases and vapors.

Explosion Data

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up and transfer to properly labeled containers. Cover liquid spill with sand, earth or other non-combustible absorbent material. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------|----------------|--|--|
| Ethyl Alcohol 64-17-5 | STEL: 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ |

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection No protective equipment is needed under normal use conditions. Risk of contact: Wear approved safety goggles.

Skin and Body Protection No protective equipment is needed under normal use conditions. Lightweight protective clothing. Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts and abrasions.

Respiratory Protection No protective equipment is needed under normal use conditions. Use an approved respirator if exposure limits are exceeded or if irritation develops or persists.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|--------------|-----------------------|----------------|
| Physical state | Liquid | Odor | Fragranced |
| Appearance | Clear liquid | Odor Threshold | Not determined |
| Color | Clear | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|-------------------------------------|-------------------------|--------------------------------|
| pH | Not determined | |
| Melting Point/Freezing Point | Not determined | |
| Boiling Point/Boiling Range | Not determined | |
| Flash Point | Not flammable | |
| Evaporation Rate | >1 | |
| Flammability (Solid, Gas) | Liquid - Not applicable | |
| Flammability Limits in Air | | |
| Upper Flammability Limits | Not determined | |
| Lower Flammability Limit | Not determined | |
| Vapor Pressure | Not determined | |
| Vapor Density | Not determined | |
| Relative Density | 0.99 | |
| Water Solubility | Not determined | |
| Solubility in other solvents | Not determined | |
| Partition Coefficient | Not determined | |
| Auto-ignition Temperature | Not determined | |
| Decomposition Temperature | Not determined | |
| Kinematic Viscosity | Not determined | |
| Dynamic Viscosity | Not determined | |
| Explosive Properties | Not determined | |
| Oxidizing Properties | Not determined | |

Other Information

| | |
|--------------------|-----|
| VOC Content | 55% |
|--------------------|-----|

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

| | |
|---------------------------------|--|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
|---------------------------------|--|

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|--|
| Eye Contact | May cause eye irritation. |
| Skin Contact | Contact with product may cause frostbite. |
| Inhalation | May cause irritation of respiratory tract. May cause drowsiness and dizziness. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. |
| Ingestion | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------|----------------------|-------------|--------------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |
| Ethyl Alcohol 64-17-5 | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat) 4 h |

Information on physical, chemical and toxicological effects

| | |
|-----------------|--|
| Symptoms | Please see section 4 of this SDS for symptoms. |
|-----------------|--|

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|------------------------|---|
| Carcinogenicity | Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage. |
|------------------------|---|

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------|-------|---------|-------|------|
| Ethyl Alcohol 64-17-5 | A3 | Group 1 | Known | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
 A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
 Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)
 Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--------------------------|----------------------|---|---|
| Ethyl Alcohol 64-17-5 | | 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static | 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50 |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|--------------------------|-----------------------|
| Ethyl Alcohol 64-17-5 | -0.32 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|--------------------------|-----------------------------------|
| Ethyl Alcohol 64-17-5 | Toxic Ignitable |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

IATA

UN/ID No UN1950
Proper Shipping Name Aerosols, non-flammable
Hazard Class 2.2

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

15. REGULATORY INFORMATION

International Inventories

| Chemical Name | TSCA | DSL/NDSL | EINECS/E LINCS | ENCS | IECSC | KECL | PICCS | AICS |
|---------------|------|----------|----------------|---------|-------|---------|-------|------|
| Water | X | X | X | | X | Present | X | X |
| Ethyl Alcohol | X | X | X | Present | X | Present | X | X |

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

US Federal Regulations

SARA 313

Not determined

US State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical Name | California Proposition 65 |
|-------------------------|-----------------------------|
| Ethyl Alcohol - 64-17-5 | Carcinogen Developmental |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------|------------|---------------|--------------|
| Water 7732-18-5 | | | X |
| Ethyl Alcohol 64-17-5 | X | X | X |

16. OTHER INFORMATION

NFPA

Health Hazards

Flammability

Instability

Special Hazards

Not determined

Not determined

Not determined

Not determined

HMIS

Health Hazards

Flammability

Physical hazards

Personal Protection

Not determined

Not determined

Not determined

Not determined

Issue Date: 18-Jan-2018

Revision Date: 19-Jan-2018

Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet