

## SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/9

### BABY POWDER COAT COLOGNE

Revision 17

Revision date 2018-02-26

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	BABY POWDER COAT COLOGNE
Product code	QAFS477

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	Baby Powder Dog Cologne is a fragranced body spray to improve your pets appeal.

##### 1.3. Details of the supplier of the safety data sheet

Company	Christies Direct
Address	16 Finvoy Road Ballymoney Co. Antrim BT53 7JE
Web	www.christiesdirect.com
Telephone	Tel: 028 2766 6879
Fax	
Email	info@christiesdirect.com
Email address of the competent person	info@christiesdirect.com

##### 1.4. Emergency telephone number


Emergency telephone number	028 2766 6879 9.00am to 17.00pm
----------------------------	------------------------------------

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319;
--------------------------------------	---

##### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains coumarin, Citronellol, Alpha-Isomethyl ionone, Piperonal, 6,6-Dimethylbicyclo-(3,1,1)-2-heptene-2-ethyl acetate. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour.

# BABY POWDER COAT COLOGNE

Revision 17

Revision date 2018-02-26

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	Eye Irrit. 2: H319 - Causes serious eye irritation.
	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
<b>Precautionary Statement: Response</b>	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
<b>Precautionary Statement: Storage</b>	P403+P235 - Store in a well-ventilated place. Keep cool.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.

## 2.3. Other hazards

<b>Other hazards</b>	PBT not identified as a PBT substance.
----------------------	--

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

# BABY POWDER COAT COLOGNE

Revision 17  
Revision date 2018-02-26

## 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	70 - 80%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
Citronellol		106-22-9	203-375-0	01-2119453995-23	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
Alpha - Isomethyl Ionone		127-51-5	204-846-3		0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
6,6-Dimethylbicyclo-(3,1,1)-2-heptene-2-ethyl acetate		128-51-8	204-891-9	01-2119982322-38	0 - 0.5%	Aquatic Chronic 2: H411; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
Coumarin		91-64-5	202-086-7		0 - 0.5%	Acute Tox. 4: H302; Skin Sens. 1: H317; STOT RE 2: H373;
Piperonal		120-57-0	204-409-7		0 - 0.5%	Skin Sens. 1: H317;
p-Methylanisole		104-93-8	203-253-7		0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 4: H302; Skin Irrit. 2: H315; Repr. 2: H361; Aquatic Chronic 3: H412;
Alpha-Pinene		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
d-.alpha.-Pinene		7785-70-8	232-087-8		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	0 - 0.5%	Flam. Liq. 2: H225;
(R)-p-mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Beta pinene		127-91-3	204-872-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
p-Cymene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;
Myrcene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
dipentene	601-029-00-7	138-86-3	205-341-0		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1,3-Cyclohexadiene, 1-methyl-4-(1-methyl-4-(1-methylethyl)-		99-86-5	202-795-1		0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 4: H302; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;

### Further information

<b>Product Shelf Life</b>	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
<b>Active Ingredients</b>	Baby Power Cologne contains Denatured Ethanol, Aqua, Anthemis Nobilis, Aloe Barbadensis Leaf, Citric Acid, Sodium Benzoate, Potassium Sorbate, Parfum (Citronellol, Alpha iso methyl ionone, Coumarin, Benzyl Cinnamate, Hexyl Cinnamal, Benzyl Cinnamate, Geraniol, Benzyl Salicylate, Benzyl Benzoate).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water. Contact lenses should be removed.
<b>Skin contact</b>	Remove contaminated clothing. Wash with water and soap as a precaution.

# BABY POWDER COAT COLOGNE

Revision 17

Revision date 2018-02-26

## 4.1. Description of first aid measures

Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
-----------	---

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	TREAT SYMPTOMATICALLY. Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

## General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
--	---

### 6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
--	--

### 6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

### 7.2. Conditions for safe storage, including any incompatibilities

# BABY POWDER COAT COLOGNE

Revision 17

Revision date 2018-02-26

## 7.2. Conditions for safe storage, including any incompatibilities

Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.

## 7.3. Specific end use(s)

No data is available on this product.

## Suitable packaging

Plastic containers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure controls.

#### 8.1.1. Exposure Limit Values

Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm:	1000	WEL 8-hr limit mg/m3:	1920
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	inhalable dust:		inhalable dust:	
	WEL 8-hr limit mg/m3 total	-	WEL 15 min limit mg/m3 total	-
	respirable dust:		respirable dust:	

### 8.2. Exposure controls



Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# BABY POWDER COAT COLOGNE

Revision 17  
Revision date 2018-02-26

## 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Colourless
<b>Odour</b>	Perfumes
<b>pH</b>	6 - 7.8
<b>Melting point</b>	Not applicable.
<b>Initial boiling point</b>	Not determined
<b>Flash point</b>	> 23 °C
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Vapour density</b>	No data available
<b>Relative density</b>	0.8 - 0.9 (H <sub>2</sub> O = 1 @ 20 °C)
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	< 20 centipoise
<b>Explosive properties</b>	Not determined
<b>Oxidising properties</b>	No data available
<b>Solubility</b>	Slightly soluble in water

## 9.2. Other information

<b>Conductivity</b>	No data available
<b>Surface tension</b>	No data available
<b>Gas group</b>	No data available
<b>Benzene Content</b>	Not applicable.
<b>Lead content</b>	Not applicable.
<b>VOC (Volatile organic compounds)</b>	69 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

	Flammable liquid. Stable under normal conditions.
--	---

### 10.2. Chemical stability

	Flammable liquid. Stable under normal conditions.
--	---

### 10.3. Possibility of hazardous reactions

	Oxidising agents. Combustible materials.
--	--

### 10.4. Conditions to avoid

	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
--	--

### 10.5. Incompatible materials

	Oxidising agents.
--	-------------------

### 10.6. Hazardous decomposition products

	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
--	--

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Acute toxicity</b>	based on available data the classification criteria are not met.
<b>Skin corrosion/irritation</b>	based on available data the classification criteria are not met.
<b>Serious eye damage/irritation</b>	H319 - Causes serious eye irritation.

# BABY POWDER COAT COLOGNE

Revision 17  
Revision date 2018-02-26

## 11.1. Information on toxicological effects

Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.

### 11.1.2. Mixtures

	No data available.
--	--------------------

### 11.1.3. Hazard Information

	No data available.
--	--------------------

### 11.1.4. Toxicological Information

	No data available
--	-------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

	No data available
--	-------------------

### 12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

### 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

### Partition coefficient

	<b>BABY POWDER COAT</b> No data available	<b>Ethanol: Ethyl Alcohol</b> 0.35 log P
	<b>COLOGNE</b>	

### 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

### 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

### 12.6. Other adverse effects

	No data available.
--	--------------------

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

### General information

	Dispose of in compliance with all local and national requirements.
--	--

### Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

## SECTION 14: Transport information

## BABY POWDER COAT COLOGNE

Revision 17  
Revision date 2018-02-26

## Hazard pictograms

	
--	---

## 14.1. UN number

	UN1170
--	--------

## 14.2. UN proper shipping name

	ETHYL ALCOHOL SOLUTION
--	------------------------

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group	III
---------------	-----

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## 14.6. Special precautions for user

	No additional special precautions.
--	------------------------------------

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	Not applicable.
--	-----------------

## ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

## IMDG

EmS Code	F-E S-D
----------	---------

## IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	---



# BABY POWDER COAT COLOGNE

Revision 17

Revision date 2018-02-26

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

## 15.2. Chemical safety assessment

No information available.

## SECTION 16: Other information

### Other information

<b>Revision</b>	This document differs from the previous version in the following areas: 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Disposal. 11 - Serious eye damage/irritation.
<b>Text of Hazard Statements in Section 3</b>	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . Flam. Liq. 3: H226 - Flammable liquid and vapour. Repr. 2: H361 - Suspected of damaging fertility or the unborn child . Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
<b>Maximum content of VOC</b>	69 g/l.

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.