

HPN 001396

1130

11994

1945

1967

Hampton Mfg. Inc. 135 Bethea Rd Ste#501
Fayetteville, GA 30214 770-461-0220

M A T E R I A L S A F E T Y D A T A S H E E T
H A M P T O N M F G .
C R E A T O R S O F A N T I B A C T E R I A L H - 4 2 C L E A N C L I P P E R S

07/10/97

Page 1 of 3

SECTION I- PRODUCT IDENTIFICATION

Product Name: ANTIBACTERIAL H-42 CLEAN CLIPPERS (PATENTED)
Emergency Assistance: Call CHEMTREC (800) 424-9300

SECTION II COMPONENTS

Hazardous Ingredients	%(By Wt.)	Note
Aliphatic Petroleum Distillates	50-90 PEL TLV 700PPM	1
Aliphatic Petroleum Distillates	01-10	2
o-Phenylphenol	.50-10	3

NOTES:

- (1) NIOSH Recommends a limit of 100 MG/CUM 8 hour weighted average.
(2) PEL/TLV not established for this material.
This product is not identified as a carcinogen by IARC NTP and OSMA.

SECTION III PHYSICAL DATA

Boiling Point	350 Deg. F 177 Deg. C @ 760 MM Hg.
Vapor Pressure	Unavailable
Specific Vapor Density	Heavier than Air
Specific Gravity	0.806 @ 68 Deg. F 20 Deg. C
Percent Volatiles	70-90%
Evaporation Rate	Slower than Ether

SECTION IV FIRE AND EXPLOSION INFORMATION

FLASH POINT (TCC)	195 Deg.F
FLAMMABLE LIMITS	Combustible and may be ignited by fire or flame. Will burn, But will not ignite readily.
EXTINGUISHING MEDIA	Regular foam or carbon dioxide or dry chemical

Hampton Mfg. Inc. 135 Bethea Rd Ste#501
 Fayetteville, GA 30214 770-461-0220

Page 2 of 3 (ANTIBACTERIAL H-42 CLEAN CLIPPERS HAMPTON MFG.)

 FIRE AND EXPLOSION INFORMATION CONTINUED

Firefighting Procedures: Wear self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode when fighting fires.

 SECTION V HEALTH HAZARDS DATA

Eyes - Can cause moderate irritation, redness, tearing.

Inhalation - Low degree of toxicity.

Skin - Can cause irritation and defatting.

First Aid:

If on skin: thoroughly wash exposed area with soap and water.

Remove contaminated clothing. Launder contaminated clothing before re-use.

If in eyes: Flush with large amounts of water, lifting upper and lids occasionally, get medical attention.

If swallowed: Do not induce vomiting, keep person warm, quiet, and get medical attention.

 SECTION VI REACTIVITY DATA

Hazardous Polymerization: Cannot occur

Stability: Stable

Incompatibility: Avoid contact with, strong oxidizing agents.

 SECTION VII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Stay up wind of spill. Contain with sand or other inert material. Do not flush with water. Dispose of waste in accordance with local, county, state and Federal regulations. For small spills, use absorbant pad. Dispose of as above.

 SECTION IX SPECIAL PRECAUTIONS OR OTHER COMMENTS

HAZARD RATING SYSTEMS:

This information is for people trained in:

National Paint & Coatings Association's (NPCA)

Hazardous Materials Identification System (HMIS)

National Fire Protection Association (NFPA 704)

Identification of the Fire Hazards of Materials

	NPCA-HMIS	NFPA 704	KEY
HEALTH	1	1	4= Severe
FLAMMABILITY	2	2	3= Serious
REACTIVITY	1	1	2= Moderate
			1= Slight

0= Minimal

Hampton Mfg. Inc. 135 Bethea Rd Ste#501
Fayetteville, GA 30214 770-461-0220

Page 3 of 3 (ANTIBACTERIAL H-42 CLEAN CLIPPERS HAMPTON MFG.)

SECTION IX SPECIAL PRECAUTIONS OR OTHER COMMENTS CON'T

THIS PRODUCT IS AN EPA PESTICIDE (EPA REGISTRATION NO. 65596-1)

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not, recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.